

Schüco Sliding Systems ASS

Aluminium Systems

Contents




Transparent interior design



Architecture flooded with light

Максимальная степень прозрачности



Maximum transparency

Whether for sliding, lift-and-slide, tilt/slide or folding sliding systems, Schüco aluminium system solutions allow maximum operating comfort, thermal insulation, security and design to be perfectly combined. Narrow profile face widths ensure large units and maximum light penetration. In terms of technology and design, all the systems offer a range of fittings and design options which meet all the requirements of commercial and private residential projects. Even operation at the touch of a button is possible due to the completely concealed Schüco e-slide drive system.

- 04 Schüco sliding systems
- 06 Schüco Panorama Design sliding systems
- 08 Schüco sliding doors
- 10 Schüco lift-and-slide doors
Schüco e-slide
Schüco e-slide
- 12 Schüco folding sliding doors
Schüco tilt/slide doors
- 14 Online services

Schüco

Schüco sliding systems for excellent thermal insulation and weathertightness

Schüco sliding Systems

Schüco

- Schüco sliding systems fulfil a whole range of demands from investors and private clients alike. In terms of energy saving, security, operating comfort and design, they offer individual solutions of the highest standard.



Sliding systems



Lift-and-slide systems



Folding sliding systems



Tilt/slide system

Раздвижные системы с повышенной теплоизоляцией позволяют снизить расходы на энергопотребление

Schüco

Reduce energy costs with highly thermally insulated sliding systems

Saving energy doesn't just mean contributing towards climate protection; it is also about saving money. In the face of soaring energy costs, this is in the interest of every client. Schüco sliding systems are fitted with thermally broken aluminium profiles and efficient gaskets. Together with high quality insulating glass, the best thermal insulation results are achieved.



Enlarged insulation zones with foam insulating bars in vents and outer frame profiles guarantee the best thermal insulation

PVC-U hollow chamber profiles for more stability and thermal insulation

Smaller face widths with maximum vent sizes ensure transparency

Additional insulation zones for even better thermal insulation

Low-level threshold for increased comfort and easy-access

Schüco ASS 70.HI

Schüco ASS 70.HI highly thermally insulated sliding and lift-and-slide system

Schüco Panorama Design sliding systems



Победитель премии iF gold award 2012

Schüco ASS 77 PD

iF product design award 2012,

„buildings“

100
iF.

iF gold award winner 2012

The Schüco ASS 77 PD sliding system won the coveted iF product design award 2012. In addition to this, the system won the golden trophy in the buildings category of the 100 best products from all the iF competitions.



red dot design award
best of the best 2012

red dot award: product design –

Лучший из лучших 2012

2012

Schüco ASS 77 PD

red dot award

„red dot: best of the best “ award.

red dot award: product design – best of the best 2012

In 2012, the Schüco ASS 77 PD sliding system not only won the red dot award for product design; it also triumphed as one of the best designs of the year in the “red dot: best of the best” award.

Schüco ASS 77 PD (Panorama Design)

Panorama Design

Schüco Panorama Design (PD) sliding doors make large-scale sliding systems with maximum transparency possible. Slender profile face widths and the thermal insulation, which is perfectly suited to any requirement, impress architects and clients alike.

The sliding system is suitable for different climate zones and is available in 3 variants:

- ASS 77 PD.SI –
- ASS 77 PD.HI –
- ASS 77 PD.NI –

- ASS 77 PD.SI – maximum thermally insulated system variant
- ASS 77 PD.HI – highly thermally insulated system variant
- ASS 77 PD.NI – non-insulated system variant

Experience ASS 77 PD with our web special



ASS 77 PD.

www.schueco.de/panorama-design

The interactive platform presents you with all of the information about the ASS 77 PD sliding system. In addition to all of the technical information regarding the products, the web special also includes interactive articles and comprehensive background information. www.schueco.de/panorama-design



Schüco sliding doors



Schüco

All sliding units run in a single plane, with no unsightly vent protruding into the room. Apart from insulated systems for the widest range of requirements for outdoor use, Schüco also offers non-insulated series for flexible interior design. An additional plus point is that due to their identical face widths the system designs for internal and external use can be combined seamlessly. The profile surface finishes, which can be designed with different colours inside and outside, offer additional design options.

Schüco ASS 48

thermally insulated sliding system

Schüco lift-and-slide doors



Schüco ASS 70.HI

high insulation
lift-and-slide system

Schüco

- A Schüco lift-and-slide door made from aluminium profiles is very easy to move.
- When closed, the door is perfectly weather-tight, providing excellent thermal insulation and sound reduction.
- Up to three tracks allow large opening widths and the door can therefore be used with great flexibility in large glass constructions.

Schüco e-slide



Schüco e-slide

concealed drive system

Schüco e-slide

Operated at the touch of a button. The easier lift-and-slide doors are to move, the greater the user comfort. Schüco has therefore developed e-slide technology. This allows vents weighing up to 250 kg to be moved fully automatically, very quietly and quickly.

Schüco e-slide

The concealed e-slide automatic function is operated using a control panel on the vent, a wall-mounted switch or centrally, if it is integrated in the building management system.

Schüco e-slide

As the Schüco e-slide fitting is fully automatic, an anti-finger trap is integrated in the sliding and lift-and-slide systems.

Schüco folding sliding doors



Schüco ASS 70 FD

thermally insulated
folding sliding system

Складные раздвижные двери с теплоизоляцией для наружного применения

Складные раздвижные двери без теплоизоляции для применения внутри помещений

Schüco

Schüco folding sliding systems offer the benefits of a wide choice of styles, quiet operation, perfect weathertightness when shut, and high transparency. There are two options available depending on the area of use:

Thermally insulated folding sliding doors for use outdoors

The vent stacks of the thermally insulated door system fold inwards or outwards and slide to the right and/or left with ease thanks to the stainless steel tracks and the high quality fittings components. The vents roll almost silently on the roller carriers and are securely guided at the top and bottom.

Non-insulated folding sliding doors for use indoors

The non-insulated folding sliding door is the ideal choice in areas where no additional thermal insulation is required. The door system can be opened fully to extend offices, business rooms and living areas.

(PASK) Schüco Schüco tilt / slide doors




PASK

Tilt / slide window doors offer the best possible ventilation options

PASK
PASK,

Tilt/slide doors, as a combination of a sliding door and a turn/tilt window, are practical and easy to use. For ventilation purposes, the vent of the tilt/slide doors alone can be tilted or the entire area can be opened up. Tilt/slide vents are stylishly flush-fitted in the frame units on the outside and face-fitted on the inside, thereby providing optimum weathertightness.

Online services for aluminium sliding systems



Schüco

Aluminium sliding and folding sliding doors from Schüco impress with their versatility. Whether they are used outdoors as spacious openings for terraces and balconies or indoors as transparent room dividers, they can always be relied on to make a design statement. At the same time, they offer energy efficiency, fittings and design of the highest order.

Schüco

Further details about the individual Schüco systems can be found in the enclosed product data sheets.

www.schueco.de

www.schueco.de

Schüco

A complete overview of Schüco system solutions for all areas of the building envelope can be found at www.schueco.de. This site also includes specialist information such as architect information on specialist topics, test reports, specifications for tender and further technical information.

: www.schueco.de.

Schüco Sliding Systems ASS



Schüco

Schüco aluminium folding and sliding systems offer flexible, thermally insulated and non-insulated door solutions for all requirements in the commercial and residential sector. They create generous openings and add emphasis as transparent transitions or discreet room dividers.

Schüco International KG
www.schueco.com

Schüco - системные решения для окон, дверей и фасадов.

Schüco – System solutions for windows, doors and façades.

www.schueco.de/newsroom

Schüco

The latest from the social networks at:
www.schueco.de/newsroom

Together with its worldwide network of partners, architects, specifiers and investors, Schüco creates sustainable building envelopes which focus on people and their needs in harmony with nature and technology. The highest demands for design, comfort and security can be met, whilst simultaneously reducing CO₂ emissions through energy efficiency, thereby conserving natural resources. The company and its Metal and PVC-U divisions deliver tailored products for newbuilds and renovations, designed to meet individual user needs in all climate zones. With 4800 employees and 12,000 partner companies, Schüco is active in 78 countries and achieved a turnover of 1.5 billion euros in 2013. For more information, visit www.schueco.com

CO₂

Schüco

12.000

4.800

2013

78

1,5

www.schueco.com

SCHÜCO